


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#)

Welcome United States Patent and Trademark Office

☐ Advanced Search

BROWSE

SEARCH

IEEE XPLORE GUIDE



OPTION 1

Enter keywords or phrases, select fields, and select operators

Help

 in All Fields

AND in All Fields

AND in All Fields

» Note: If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box.



OPTION 2

Enter keywords, phrases, or a Boolean expression

Help

(b?pass* or b?-pass*) and hub* and (mux
or multiplex*) and (queue* or buffer* or
store*)

----- # / -----

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» Publications

☒ Select publications

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference I
- ☒ IEE Conference P
- ☒ IEEE Standards

» Other Resources (Availab

- ☒ IEEE Books

» Select date range

- ☐ Search latest content u
- ☒ From year All to Present

» Display Format

- ☒ Citation ☐ Citatio

» Organize results

- Maximum 100
- Display 25 res
- Sort by Relevance
- In Descending ;

[Help](#) [Contact Us](#)

© Copyright 20

Indexed by



[Home](#) | [Login](#) | [Logout](#) | [Access Information](#)

Welcome United States Patent and Trademark Office

☐ Advanced Search[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

[Help](#) in All Fields AND in All Fields AND in All Fields 

» Note: If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box.

**OPTION 2**

Enter keywords, phrases, or a Boolean expression

[Help](#)hub* and (mux or multiplex*) and (queue*
or buffer* or store*)

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» Publications

☒ Select publications

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference I
- ☒ IEE Conference Pr
- ☒ IEEE Standards

» Other Resources (Available)

- ☒ IEEE Books

» Select date range

- ☐ Search latest content up to
- ☒ From year All to Present

» Display Format

- ☒ Citation ☐ Citation

» Organize results

Maximum: 100

Display: 25 results

Sort by: Relevance

In: Descending

[Help](#) [Contact Us](#)

© Copyright 2005

Indexed by



[Home](#) | [Login](#) | [Logout](#) | [Access Information](#)

Welcome United States Patent and Trademark Office

☐ Advanced Search[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

[Help](#) in All Fields AND in All Fields AND in All Fields

» Note: If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box.

**OPTION 2**

Enter keywords, phrases, or a Boolean expression

[Help](#)

(b?pass* or b?-pass*) and (mux or
multiplex*) and (queue* or buffer* or
store*)

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» Publications

☒ Select publications

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference I
- ☒ IEE Conference Pr
- ☒ IEEE Standards

» Other Resources (Availab

- ☒ IEEE Books

» Select date range

- ☐ Search latest content up
- ☒ From year All : ...
to Present

» Display Format

- ☒ Citation
- ☐ Citatio

» Organize results

Maximum 100 Display 25 res

Sort by Relevance

In Descending [Help](#) [Contact Us](#)

© Copyright 2005

Indexed by



[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

☐ Search Session History[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Edit an existing query or
compose a new query in the
Search Query Display.

Mon, 5 Dec 2005, 2:52:51 PM EST

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- #1 (((b?pass* or b?-pass*) and hub* and (mux or multiplex*) and (queue* or buffer* or store*))<in>metadata) 1 hit
- #2 ((hub* and (mux or multiplex*) and (queue* or buffer* or store*))<in>metadata) 6 hits
- #3 (((b?pass* or b?-pass*) and (mux or multiplex*) and (queue* or buffer* or store*))<in>metadata) 10 hits

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2005 IEEE -

Indexed by
 Inspec

ACM Search

b?pass* queue* (abstract only) ... 6 hits

b?pass* buffer* (abstract only) ... 10 hits

A handwritten signature or set of initials, possibly 'A' or 'B', enclosed within a hand-drawn oval.

12/5/05

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6	("4,608,702" "4,891,808" "5,748,616" "6,208,180" "5,889,304" "6,910,109").pn.	USPAT	OR	ON	2005/12/05 12:29
L2	2	"20030217223" "20030227798"	US-PGPUB	OR	ON	2005/12/05 12:30
L3	8	("5,327,553" "5,706,224" "6,131,149" "6,219,725" "6,286,083" "6,493,803" "6,564,329" "6,665,202").pn.	USPAT	OR	ON	2005/12/05 12:30
L4	2	"20040044833" "20050044327"	US-PGPUB	OR	ON	2005/12/05 12:31
L5	2	"20030149809" "20040236885"	US-PGPUB	OR	ON	2005/12/05 12:33
L6	1	("6,845,409").pn.	USPAT	OR	ON	2005/12/05 12:33
L7	5	("4,953,930" "5,987,196" "6,715,018" "6,811,320" "6,821,029").pn.	USPAT	OR	ON	2005/12/05 12:34
L8	2	"20040126115" "20040144994"	US-PGPUB	OR	ON	2005/12/05 12:34
L10	25	("4,240,143" "4,245,306" "4,253,144" "4,253,146" "4,707,823" "4,724,520" "4,930,128" "5,241,506" "5,243,703" "5,269,022" "5,317,752" "5,319,755" "5,355,391" "5,432,823" "5,461,627" "5,465,229" "5,502,621" "5,566,325" "5,577,220" "5,581,767" "5,606,717" "5,638,334" "5,715,456" "5,819,304" "5,832,250").pn.	USPAT	OR	ON	2005/12/05 12:34
L11	25	("5,928,343" "5,966,724" "5,973,935" "5,973,951" "5,978,567" "6,023,726" "6,029,250" "6,031,241" "6,061,296" "6,076,139" "6,098,158" "6,125,431" "6,134,624" "6,175,571" "6,185,352" "6,191,663" "6,247,107" "6,249,802" "6,294,937" "6,370,068" "6,401,213" "6,405,280" "6,430,696" "6,434,696" "6,434,736").pn.	USPAT	OR	ON	2005/12/05 12:36
L12	25	("6,438,622" "6,449,308" "6,453,393" "6,479,322" "6,490,188" "6,501,471" "6,594,722" "6,598,154" "6,615,325" "6,628,294" "6,629,220" "6,646,929" "6,658,509" "6,662,304" "6,667,895" "6,697,926" "6,718,440" "6,721,195" "6,724,685" "6,728,800" "6,735,679" "6,735,682" "6,745,275" "6,751,703" "6,754,812").pn.	USPAT	OR	ON	2005/12/05 12:38
L14	4	("6,756,661" "6,760,833" "6,771,538" "6,775,747").pn.	USPAT	OR	ON	2005/12/05 12:42
L15	12	(6 "789,173" "6,792,059" "6,792,496" "6,795,899" "6,799,246" "6,799,268" "6,804,760" "6,804,764" "6,807,630" "6,816,947" "6,820,181" "6,823,023").pn.	USPAT	OR	ON	2005/12/05 12:43

L17	7	"20010039612" "20020116588" "20030043158" "20030093630" "20030163649" "20030177320" "20050071542"	US-PGPUB	OR	ON	2005/12/05 12:46
L20	24	("4,707,823" "5,241,506" "5,243, 703" "5,319,755" "5,355,391" "5, 432,823" "5,465,229" "5,502,621" "5,566,325" "5,581,767" "5,606,717" "5,638,334" "5,819,304" "5,928,343" "5,973,935" "5,973,951" "6,029,250" "6,061,296" "6,125,431" "6,175,571" "6,185,352" "6,247,107" "6,294,937" "6,370,068").pn.	USPAT	OR	ON	2005/12/05 12:46
L21	20	("6,401,213" "6,430,696" "6,434, 736" "6,479,322" "6,490,188" "6, 629,220" "6,646,929" "6,662,304" "6,667,895" "6,721,195" "6,724,685" "6,735,679" "6,745,275" "6,751,703" "6,756,661" "6,771,538" "6,792,059" "6,799,246" "6,804,764" "6,816, 947").pn.	USPAT	OR	ON	2005/12/05 12:47
L22	4	"20030043158" "20030093630" "20030163649" "20030177320"	US-PGPUB	OR	ON	2005/12/05 12:49
L24	2	"20030193927" "20040022094"	US-PGPUB	OR	ON	2005/12/05 12:49
L25	8	("4,045,781" "5,479,370" "5,729, 709" "5,875,454" "6,186,400" "6, 243,831" "6,256,692" "6,438,668"). pn.	USPAT	OR	ON	2005/12/05 12:49
L26	7	("5,544,319" "5,822,255" "6,033, 951" "6,079,008" "6,392,653" "6, 636,110" "6,681,292").pn.	USPAT	OR	ON	2005/12/05 12:49
L27	1	"6462978".pn.	USPAT	OR	ON	2005/12/05 12:50
L29	10	("5,818,844" "6,067,262" "6,246, 618" "6,272,609" "6,477,592" "6, 523,092" "6,523,093" "6,590,816" "6,622,227" "6,631,440").pn.	USPAT	OR	ON	2005/12/05 12:50
L30	4	"20020144064" "20030005223" "20030043426" "20030229770"	US-PGPUB	OR	ON	2005/12/05 12:52
L31	24	("5,251,303" "5,432,907" "5,442, 770" "5,497,476" "5,659,798" "5, 875,352" "6,061,263" "6,073,190" "6,105,075" "6,137,709" "6,144,587" "6,167,465" "6,167,486" "6,201,724" "6,233,376" "6,243,769" "6,285,349" "6,301,637" "6,327,642" "6,330,205" "6,347,055" "6,349,363" "6,356,573" "6,367,074").pn.	USPAT	OR	ON	2005/12/05 12:52

L32	15	("6,373,777" "6,381,190" "6,421,744" "6,434,639" "6,463,059" "6,470,422" "6,473,828" "6,477,614" "6,477,621" "6,496,909" "6,505,287" "6,539,490" "6,552,564" "6,587,912" "6,594,713").pn.	USPAT	OR	ON	2005/12/05 12:55
L33	1	"20020112119"	US-PGPUB	OR	ON	2005/12/05 12:20
L37	6	"0849685"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 13:32
L38	15040	micron.as.	US-PGPUB; USPAT	OR	ON	2005/12/05 13:32
L39	23778	hub.ab.	US-PGPUB; USPAT	OR	ON	2005/12/05 13:33
L40	9	38 and 39	US-PGPUB; USPAT	OR	ON	2005/12/05 13:34
L41	494	(buffer or queue) same (mux or multiplexer) and 38	US-PGPUB; USPAT	OR	ON	2005/12/05 13:35
L42	130	(buffer or queue) same (mux or multiplexer) same hub	US-PGPUB; USPAT	OR	ON	2005/12/05 13:36
L43	0	42 and 38	US-PGPUB; USPAT	OR	ON	2005/12/05 13:36
L44	2465	(buffer or queue) and (mux or multiplexer) and hub	US-PGPUB; USPAT	OR	ON	2005/12/05 13:37
L45	7	44 and 38	US-PGPUB; USPAT	OR	ON	2005/12/05 13:36
L46	11	(buffer or queue) and (mux or multiplexer) and hub-base\$1	US-PGPUB; USPAT	OR	ON	2005/12/05 13:41
L47	1079	(hub or hub-based) and (mux or multiplex\$3) and (queue or buffer) and (bypass\$3 or bi-pass\$3 or bypass\$3 or by-pass\$3)	US-PGPUB; USPAT	OR	ON	2005/12/05 14:18
L49	3	((memory adj3 hub) or memory-hub) same (mux or multiplex\$3) same (queue or buffer) same (bypass\$3 or bi-pass\$3 or bypass\$3 or by-pass\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 13:49
L50	30	((memory adj3 hub) or memory-hub) and (mux or multiplex\$3) and (queue or buffer) same (bypass\$3 or bi-pass\$3 or bypass\$3 or by-pass\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 14:08

L51	0	2005/0044304	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 14:09
L52	2	"20050044304"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 14:10
L53	2	"20040034753"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 14:12
L54	8	"6523093"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 14:11
L55	2	"6523093".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 14:11
L56	2	"6754812"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 14:12
L57	2	"4045781".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 14:13
L58	2	"5479370".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 14:14

L59	2	"5729709".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 14:14
L60	1034	711/158	US-PGPUB; USPAT	ADJ	ON	2005/12/05 14:18
L61	4	(hub or hub-based) and (mux or multiplex\$3) and (queue or buffer) and (bypass\$3 or bi-pass\$3 or bypass\$3 or by-pass\$3) and 711/158.ccls.	US-PGPUB; USPAT	OR	ON	2005/12/05 14:19
L62	2	(hub or hub-based) and (mux or multiplex\$3) and (queue or buffer) and (bypass\$3 or bi-pass\$3 or bypass\$3 or by-pass\$3) and 711/163.ccls.	US-PGPUB; USPAT	OR	ON	2005/12/05 14:40
L63	37	(memory adj3 (hub or hub-based)) and (mux or multiplex\$3) and (queue or buffer or store) same (bypass\$3 or bi-pass\$3 or bypass\$3 or by-pass\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 14:42
L64	7	63 not 50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 14:42
L65	30364	micron.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/05 16:06
L66	3	micron.as. and (b?pass\$3 or b?-pass\$3) and hub	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/05 16:08
L67	3	micron.as. and (b?pass\$3 or b?-pass\$3) and (hub or hub-based)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/05 16:08

L68	34	micron.as. and (hub or hub-based) and (queue or store or buffer or cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/05 16:11
L69	257	(queue or store or buffer or cache) same (hub or hub-based) same (mux or multiplex\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/05 16:15
L70	38	(queue or store or buffer or cache) same (memory near4 (hub or hub-based)) same (mux or multiplex\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/05 16:15
L71	31	(memory near2 hub near2 controller) same (module) same (high near2 speed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/05 17:37
L72	66	(memory near2 hub near2 controller) with (module)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/05 17:37